

ideal lux®



Mapa

From iconic lamp



to system.

Same aesthetic, multiple configurations, greater design coherence.

Mapa becomes modular in the suspension versions.

A lighter catalog.
A more flexible project.



The modular versions offer customers great freedom of configuration: with three single and multiple setups and a range of glass diameters and finishes, **over 50.000 different combinations are available**



The components are handled separately according to guided assembly plans. There are many combinations, but the decision-making process **is always the same.**

The composition experience follows a “block” approach: first, the overall look is chosen — Single, Cloud, or Drop ceiling base, the number of lights, and the ceiling base’s metal finish.



Single




Cloud



Drop

Next, the light source technology is selected (LED or bulb), and finally the glass (diameters and finishes, including mixed combinations). Each product is **custom-built**.



White



Clear



Opal



Satin



Iridescent



Amber



Smoky Grey



Chrome



The versions with a lamp holder are suitable for residential applications and smaller-scale projects.



The integrated LED versions are recommended for their light
brilliance, the visual compactness of the source, and where
the longevity of the LED **adds value.**

Multiple cable lengths make it possible to create captivating horizontal or vertical compositions, with the right lengths chosen in advance for perfect balance.





Additional installations (ceiling, wall, table) complete the range, ensuring **visual consistency** across the entire project.

Technical and performance specifications

A black square icon containing the white text "LED".

LED

High longevity and maintainability

(3000 K, 50,000 h lifetime for the integrated LED version).

Single power supply per product.

Replaceable power supply and pendants

Standardized LED drivers.



Dimmable DALI/Push option for integrated LED models:

DALI control for integration into

professional and smart home systems;

Push control for simple and cost-effective

residential installations.

A black square icon containing the white text "24 VDC".

24
VDC

Advantages of internal parallel

24 VDC connections (modular multiple

LED versions): parallel wiring and a single

power supply in multiple compositions


allow for **easier and safer connections.**

Dimensions

Single



Cloud



Drop



G4



G9



E14



E27 (1E)












E27 (1M 1E)



LED Small



LED Big



ideal lux®

www.ideal-lux.com